


OPTIMILL-3D-CR-HARDENED



HP808



MN-30.46-45

REGRINDING INFO	
TIP	●
OUTER DIAMETER	●
FLUTE	●
ADDING OF WORKING LENGTH	○
ADDING OF WORKING DIAMETER	○
DECOATING	○

● YES ● OPTIONAL ○ NO

MAPAL © FABRIK FUER PRAEZISIONSWERKZEUGE DR. KRESS KG		TITLE OPTIMILL-3D-CR-HARDENED, SHANKFORM HA, SC, COATED				FORMAT A2	
<div>ALL RIGHTS FOR THE INVENTIONS, KNOW-HOW, TECHNICAL SOLUTIONS AND DESIGNS SHOWN ON THE DRAWINGS ARE ENTLED TO MAPAL ONLY. AS FAR AS MAPAL DID NOT REGISTER PROPERTY RIGHTS HEREUPON YET, MAPAL FORMALLY RESERVES THE RIGHT FOR THE REGISTRATION OF PROPERTY RIGHTS. THE DRAWING AS WELL AS THE MATTERS SHOWN ARE STRICTLY CONFIDENTIAL. REPRODUCTIONS MAY ONLY BE MADE FOR THE PURPOSE AGREED UPON, NEITHER THIS DRAWING NOR COPIES THEREOF MAY BE MADE ACCESSIBLE TO THIRD PARTIES. WITH THE DELIVERY OF THIS DRAWING NO RIGHT TO USE IT FOR ANY PURPOSE IS GRANTED. VIOLATIONS AGAINST THE OBLIGATION TO SECRECY AND USE RESTRICTIONS WILL BE PROSECUTED.</div>		MAPAL Präzisionswerkzeuge Dr. Kress KG	DATE OF ISSUE 2022-10-04	CREATED DKO	DOCUMENT 607408897-000-01-ED1	INDEX 00	
			DATE	APPROVED	MATERIAL NUMBER 31151717	ORIGIN ALD	
			GENERAL TOLERANCE ISO 2768-mH SIZE ISO 14405-1 ②	DIMENSIONS NOT SHOWN ARE MAPAL STANDARDS		TECHNICAL SPECIFICATION MCR110-120-0100-6000X100-HP808	SHEET 1/1
					SCALE 2:1		