

OPTIMILL-3D-CR,Z=2



HP803

INDEX	CHANGES	DATE	NAME

NON TOLERANCED DIMENSIONS					
0.5 ...3	> 3 ...6	> 6 ...30	> 30 ...120	> 120 ...400	> 400 ...1000
± 0.1	± 0.1	± 0.2	± 0.3	± 0.5	± 0.8
RADII, CHAMFERS					
± 0.2	± 0.5	± 1	± 1	± 1	± 1
ANGLES, DIM. OF THE SHORTER SIDE					
bis 10 $\pm 1^\circ$	> 10 ...50 $\pm 30'$	> 50 ...120 $\pm 20'$	> 120 ...400 $\pm 10'$	> 400 $\pm 5'$	

REGRINDING INFO	
TIP	<input type="radio"/>
OUTER DIAMETER	<input type="radio"/>
FLUTE	<input type="radio"/>
ADDING OF WORKING LENGTH	<input type="radio"/>
ADDING OF WORKING DIAMETER	<input type="radio"/>
DECOATING	<input type="radio"/>

● YES ● OPTIONAL ○ NO

MAPAL © FABRIK FUER PRAEZISIONSWERKZEUGE DR. KRESS KG		TITLE				FORMAT A2
 MAPAL Präzisionswerkzeuge Dr. Kress KG		DATE OF ISSUE 2021-11-25	CREATED MF	DOCUMENT 607408708-000-02-ED1		INDEX 00
		DATE	APPROVED	MATERIAL NUMBER 31154150		ORIGIN AAD
GENERAL TOLERANCE ISO 2768-mH SIZE ISO 14405-1 ①		DIMENSIONS NOT SHOWN ARE MAPAL STANDARDS		SCALE 5:1	TECHNICAL SPECIFICATION	SHEET 1/1